

|    | U                        | 1                                   | Document ID          | Issue Date | Pages |
|----|--------------------------|-------------------------------------|----------------------|------------|-------|
| 1  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5893116 A         | 19990406   | 15    |
| 2  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6366558 B1        | 20020402   | 21    |
| 3  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 20030193930<br>A1 | 20031016   | 12    |
| 4  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 20020196790<br>A1 | 20021226   | 8     |
| 5  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 20020057675<br>A1 | 20020516   | 10    |
| 6  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 20010041981<br>A1 | 20011115   | 15    |
| 7  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 20010056560<br>A1 | 20011227   | 14    |
| 8  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6169728 B1        | 20010102   | 36    |
| 9  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6560650 B1        | 20030506   | 28    |
| 10 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6434606 B1        | 20020813   | 26    |
| 11 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6366959 B1        | 20020402   | 33    |

|    | Title  | Current OR | Current XRef                    | Retrieval Classif |
|----|--|------------|---------------------------------|-------------------|
| 1  | Accessing network resources using network resource replicator and captured login script for use when the computer is disconnected from the network | 707/201    | 709/217;<br>709/226;<br>709/229 |                   |
| 2  | Method and apparatus for maintaining connection state between a connection manager and a failover device   | 370/219    | 370/218;<br>370/254;<br>370/392 |                   |
| 3  | Voice over IP portable transceiver   | 370/352    | 370/310                         |                   |
| 4  | Data call routing on IP connections  | 370/400    |                                 |                   |
| 5  | Apparatus and method for internet telephone communication  | 370/352    | 370/401                         |                   |
| 6  | Partial redundancy encoding of speech  | 704/270.1  |                                 |                   |
| 7  | METHOD AND SYSTEM FOR MEASUREMENT BASED AUTOMATIC RETRANSMISSION REQUEST IN A RADIOTRANSMISSION SYSTEM   | 714/746    | 714/704                         |                   |
| 8  | Apparatus and method for spectrum management in a multipoint communication system  | 370/235    | 370/253;<br>370/458;<br>370/462 |                   |
| 9  | Computer system for controlling a data transfer  | 709/227    | 709/217                         |                   |
| 10 | System for real time communication buffer management   | 709/214    | 709/231;<br>711/148             |                   |
| 11 | Method and apparatus for real time communication system buffer size and error correction coding selection  | 709/231    | 709/214;<br>711/148             |                   |

|    | Inventor                        | S                                   | C                        | P                        | 2                        | 3                        | 4                        | 5                        | Image Doc.<br>Displayed | PT                       |
|----|---------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|--------------------------|
| 1  | Simmonds, Christopher D. et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 5893116              | <input type="checkbox"/> |
| 2  | Howes, Richard A. et al.        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6366558              | <input type="checkbox"/> |
| 3  | Wotherspoon, Kent et al.        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20030193930          | <input type="checkbox"/> |
| 4  | Koistinen, Tommi                | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020196790          | <input type="checkbox"/> |
| 5  | Park, Min Soo                   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20020057675          | <input type="checkbox"/> |
| 6  | Ekudden, Erik et al.            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20010041981          | <input type="checkbox"/> |
| 7  | KHAN, FAROOQ et al.             | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 20010056560          | <input type="checkbox"/> |
| 8  | Perreault, John A. et al.       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6169728              | <input type="checkbox"/> |
| 9  | Imai, Isao                      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6560650              | <input type="checkbox"/> |
| 10 | Borella, Michael S. et al.      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6434606              | <input type="checkbox"/> |
| 11 | Sidhu, Ikhlaq S. et al.         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6366959              | <input type="checkbox"/> |

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 1        | 1753 | (709/(227,228,231)).ccls. or<br>(704/270.1).ccls. and @ad<20001030 and<br>((redundant adj (packet\$1! or data or<br>frame\$1!))             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 11:28 |
| 2        | 1752 | (709/(227,228,231)).ccls. or<br>(704/270.1).ccls. and @ad<20001030 and<br>((redundant adj (packet\$1! or data or<br>frame\$1!)) same UDP)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 11:28 |
| 3        | 0    | ((709/(227,228,231)).ccls. or<br>(704/270.1).ccls.) and @ad<20001030 and<br>((redundant adj (packet\$1! or data or<br>frame\$1!)) same UDP) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 11:29 |
| 4        | 20   | ((709/(227,228,231)).ccls. or<br>(704/270.1).ccls.) and @ad<20001030 and<br>((redundant adj (packet\$1! or data or<br>frame\$1!)))          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 11:30 |
| 5        | 2    | ("6516435").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/25 12:07 |
| -        | 6    | replication adj flag  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 16:56 |
| -        | 1    | redundant adj transmi\$5 adj voice  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:08 |
| -        | 5    | (repeat or duplicat\$3 or redundant) near3<br>(transfer\$4 or transmi\$5) adj3 (voice adj<br>(data or packet\$1!))                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:14 |
| -        | 4    | redundant adj voice adj data  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:22 |
| -        | 0    | voice adj data with reconstruct45   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:25 |
| -        | 147  | voice adj data with reconstruct\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:25 |
| -        | 80   | (voice adj data with reconstruct\$5) and<br>(copy or redundant or duplicate)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:26 |
| -        | 51   | ((voice adj data with reconstruct\$5) and<br>(copy or redundant or duplicate)) and<br>@ad<20001030  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:32 |
| -        | 1    | replicat\$3 near4 (voice adj data) and<br>@ad<20001030  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/19 17:35 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 5   | replicat\$3 near4 ((voice or sound or audio) adj data) and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/19 17:39 |
| - | 406 | (replicat\$3 or copy\$3 or duplicat\$3 or redundant) near5 ((voice or sound or audio) adj data) and @ad<20001030  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/19 17:40 |
| - | 79  | (replicat\$3 or copy\$3 or duplicat\$3 or redundant) near5 ((voice ) adj data) and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/19 17:40 |
| - | 0   | (VoIP same retransmi\$5) and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 09:44 |
| - | 44  | VoIP same retransmi\$5  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 11:12 |
| - | 2   | (retransmission or retransmit\$4 or re-transmi\$5) near3 ((voice or audio or speech or sound ) adj (packet\$1! or data)) same UDP and @ad<20001030                                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 11:19 |
| - | 0   | 709/228 and ((retransmission or retransmit\$4 or re-transmi\$5) with ((voice or audio or speech or sound ) adj (packet\$1! or data)) and @ad<20001030)                              | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 11:20 |
| - | 181 | (retransmission or retransmit\$4 or re-transmi\$5) with ((voice or audio or speech or sound ) adj (packet\$1! or data)) and @ad<20001030  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 11:57 |
| - | 225 | generat\$3 adj3 redundant adj data  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 12:19 |
| - | 2   | replicat\$3 adj3 (voice adj data)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 12:18 |
| - | 0   | ((retransmission or retransmit\$4 or re-transmi\$5) with ((voice or audio or speech or sound ) adj (packet\$1! or data)) and @ad<20001030) and (generat\$3 adj3 redundant adj data) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 12:18 |
| - | 3   | (generat\$3 adj3 redundant adj data) and (VoIP or UDP or ((unreliable or faulty) adj3 protocol))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 17:13 |
| - | 37  | Ekudden.in.   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 17:13 |
| - | 108 | establish\$3 adj3 connection with UDP   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 17:38 |

|   |        |   |   |                  |
|---|--------|---|---|------------------|
| - | 48     | (establish\$3 adj3 connection with UDP) and @ad<20001030  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 17:58 |
| - | 6      | (redundancy adj request) and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/20 17:58 |
| - | 91     | (redundan\$2) same (bandwidth same (error adj rate))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 09:40 |
| - | 47     | ((redundan\$2) same (bandwidth same (error adj rate))) and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 09:40 |
| - | 0      | (error adj rate) adj4 higher adj4 threshold adj4 set\$4   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 11:00 |
| - | 213924 | (error adj rate) the higher with threshold with set\$4  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 11:01 |
| - | 30     | (error adj rate) with higher with threshold with set\$4   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 12:18 |
| - | 18     | ((error adj rate) with higher with threshold with set\$4 ) and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 11:01 |
| - | 1      | (error adj rate) with higher with threshold same (redundant or redundancy or replicat\$3 or copy\$3 or duplicat\$3)                   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 12:20 |
| - | 48     | (error adj rate) with higher with threshold and (redundant or redundancy or replicat\$3 or copy\$3 or duplicat\$3)                    | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 12:20 |
| - | 31     | ((error adj rate) with higher with threshold and (redundant or redundancy or replicat\$3 or copy\$3 or duplicat\$3)) and @ad<20001030 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 14:03 |
| - | 57     | redundant adj request\$3 and @ad<20001030   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 15:03 |
| - | 6      | (surplus or free or remain or extra) adj bandwidth with threshold and @ad<20001030  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/21 15:04 |
| - | 26     | jitter adj (buffer or filter) and redundan\$2 and @ad<20001030  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/24 08:29 |

|   |      |  |   |                  |
|---|------|--|---|------------------|
| - | 2    | jitter adj (buffer or filter) same<br>redundan\$2 and @ad<20001030   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT; | 2003/11/24 08:29 |
| - | 1023 | (request\$3 or command\$3 or signal\$3) adj3<br>(duplicat\$3 or redundant\$3 or copy\$3) adj<br>(data or information or packets)   | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;   | 2003/11/24 12:33 |
| - | 0    | ((request\$3 or command\$3 or signal\$3) adj3<br>(duplicat\$3 or redundant\$3 or copy\$3) adj<br>(data or information or packets)) same loss<br>adj packets  | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;   | 2003/11/24 12:33 |
| - | 1    | (request\$3 or command\$3 or signal\$3) adj3<br>(duplicat\$3 or redundant\$3 or copy\$3) adj<br>(data or information or packets) same<br>(packet\$1! near3 (lost or loss\$2))                      | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;   | 2003/11/24 12:34 |
| - | 17   | (request\$3 or command\$3 or signal\$3) adj3<br>(duplicat\$3 or redundant\$3 or copy\$3) adj<br>(data or information or packets) and<br>(packet\$1! near3 (lost or loss\$2))                       | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;   | 2003/11/24 12:35 |
| - | 10   | ((request\$3 or command\$3 or signal\$3) adj3<br>(duplicat\$3 or redundant\$3 or copy\$3) adj<br>(data or information or packets) and<br>(packet\$1! near3 (lost or loss\$2))) and<br>@ad<20001030 | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;   | 2003/11/24 12:35 |